# **Cushing's Syndrome**

Owner Logbook





### **Owner logbook**

This logbook provides a simple and easy way to record how your dog is progressing with Vetoryl treatment. Through effective treatment it is possible to improve your dog's quality-oflife, restore their health and reduce the risk of your dog developing other conditions.

#### Over time, you can expect to see improvements in your dog's clinical signs of Cushing's

It is important to keep track of these changes to help your vet assess your dog's response to treatment. There are four main clinical signs to monitor:

#### Drinking and urination

• Cushing's commonly makes dogs drink more water and urinate more

#### Appetite

• The excess steroids produced by Cushing's syndrome make dogs really hungry

#### Appearance

- Hair: Some dogs with Cushing's will lose their hair or it will become dry and brittle
- Skin: Cushing's dogs often have dry and flaky skin that might appear thin and tight
- Pot belly: Your dog may look to have a rounded appearance around their waist

#### Attitude / activity

• Cushing's can cause weakness and lethargy. After starting treatment, your dog will start to become more themselves again and back to doing what they enjoy

### How can I help my vet?

It is very important for your vet to have a clear picture of how your dog has been doing on their medication, whether they still have signs of Cushing's or that they are improving as should be expected. At each monitoring check-up, your vet is tailoring your dog's medication and ensuring they are having the right dose to manage their symptoms.

Also your vet needs to make sure your dog is not showing any signs of being unwell when on their medication.

If your dog develops any signs of illness while on Vetoryl including lethargy, vomiting, diarrhoea and loss of appetite, stop treatment immediately and contact your vet as soon as possible.

To help you monitor your dog's progress, please complete the Cushing's clinical score regularly before every recheck consultation with your vet.

### **Quality-of-life assessment**

Periodically your vet may also ask you to complete a quality-of-life questionnaire, that focusses more on the impact of the disease on you and your dog.

Questions revolve around the areas of your dog's thirst and hunger, urination, weight, mood, energy, play, coat condition, skin condition, mobility, daily routine and the bond with you.

Quality-of-life questionnaires are included at the rear of this logbook to be completed every three months. This will help you provide the information to your vet.



### My dog's details

Dog's name:		
Breed:	Date	e of birth:
My dog's food:		
Sex: male / female	Neutered:	yes /

#### My vet appointments:

Date	Time	Reason for appointment	Action

no

Tel:

in points norming visit (e.g. dose change, change in dose nequency etc.)	

These are the important clinical signs to monitor in a dog with Cushing's syndrome. This logbook will help you keep a track record of your dog's Cushing's Clinical Score. It is important that you provide your vet with the following information each time you visit:



#### Drinking and urination

- 0 = Drinks and urinates a normal amount
- 1 = Possibly drinks and urinates more than is normal
- 2 = Noticeably drinks and urinates more than is normal
- 3 = Constantly drinks and urinates



#### Appetite

- 0 = Eats a normal amount
- 1 = Finishes food more eagerly
- 2 = Finishes food more eagerly then begs for more
- 3 = More obsessed with food than ever



### Appearance

- 0 = Appearance is normal
- 1 = Slightly poor hair and skin quality
- 2 = Poor hair and skin quality and/or a slight pot belly
- 3 = Substantial hair loss and/or a noticeable pot belly



#### Attitude/Activity

- 0 = Activity and attitude is the same as normal
- 1 = Not quite themselves
- 2 = Not themselves and/or panting at rest
- 3 = Not at all themselves, weak and/or constantly panting

More information on the Cushing's Clinical Score is available at www.canine-cushings.co.uk

		Vetoryl	Times	Cu	ushing's C	lini
	Date	Dose	Daily	Drinking/ Urination	Appetite	Ар
$\langle$						



Top Tip: Always give Vetoryl with food to ensure it works as effectively as possible.

ical Sco	ore	Other signs
opearance	Attitude/ Activity	(e.g. vomiting, diarrhoea, off food)
		1

	Vetoryl	Times	Cı	ushing's C	linical Sco	re	Other signs
Date	Dose	Daily	Drinking/ Urination	Appetite	Appearance	Attitude/ Activity	(e.g. vomiting, diarrhoea, off food)

	Vetoryl	yl Times	Cı	ushing's C	linical Sco	Other signs	
Date	Dose	Daily	Drinking/ Urination	Appetite	Appearance	Attitude/ Activity	(e.g. vomiting, diarrhoea, off food



Did you know? You shouldn't split Vetoryl capsules.



Top Tip: Make a note of the TIME of day your dog's symptoms are at their worst. Does your dog urinate more at night than during the day? Discuss this with your vet.

	Vetoryl Times			ushing's C	linical Sco	re	Other signs
Date	Dose	Daily	Drinking/ Urination	Appetite	Appearance	Attitude/ Activity	(e.g. vomiting, diarrhoea, off food)

	Times		Joining 0 0	linical Sco	Other signs	
Vetoryl Dose	Daily	Drinking/ Urination	Appetite	Appearance	Attitude/ Activity	Other signs (e.g. vomiting, diarrhoea, off food
			Description     Urination       Image: Im	Description Urination   Urination Appende   Image: Image of the second seco	Description Appender Appendition   Urination Appender   Image: Image	DescriptionUrinationAppendixAppendixActivityImage: Image:



Did you know? There are a number of serious conditions that can occur as a result of Cushing's such as diabetes, pancreatitis and high blood pressure. Therefore it is important for your vet to see you and your dog for regular check-ups.



You can view information on the endocrine support diet at: www.specific-diets.co.uk/dog/endocrine-support

	Vetoryl	Times	Cushing's Clinical Score				Other signs
Date	Dose	Daily	Drinking/ Urination	Appetite	Appearance	Attitude/ Activity	(e.g. vomiting, diarrhoea, off food)

	Vetoryl	Times	Cı	ushing's C	linical Sco	re	Other signs
Date	Dose	Daily	Drinking/ Urination	Appetite	Appearance	Attitude/ Activity	(e.g. vomiting, diarrhoea, off food)
	I	1					



Did you know? Once on Vetoryl, appetite, thirst and urination should return to normal quickly. Skin and coat changes can take 3-6 months to improve.



Top Tip: If your dog shows any signs of illness whilst receiving Vetoryl, such as vomiting, diarrhoea, lethargy or going off their food, stop treatment and call your vet.

	Vetoryl Times			ushing's C	linical Sco	re	Other signs
Date	Dose	Daily	Drinking/ Urination	Appetite	Appearance	Attitude/ Activity	(e.g. vomiting, diarrhoea, off food)

	Vetoryl	Times	Cushing's Clinical Score			Other signs					
Date	Dose	Daily	Drinking/ Urination Appetite Appearance Attitude/ Activity		Drinking/ Urination Appetite Appearance Attitude/ Activity		Drinking/ Urination Appetite Appearance Attitude/ Activity		Drinking/ Urination Appetite Appearance Attitude/ Activity		(e.g. vomiting, diarrhoea, off food



Did you know? You should not handle Vetoryl if you are pregnant or trying to get pregnant.



For more information about Cushing's Syndrome visit: www.canine-cushings.co.uk

### **Cushing's Quality of Life Questionnaire**

	Never	Occasionally	Often	All the time
CLINICAL IMPACT	0	1	2	3
My dog is excessively thirsty				
My dog urinates in the house				
My dog is excessively hungry				
My dog pants excessively				
	0	4	2	3
DOG'S DEMEANOUR	U		~	J

DOG'S DEMEANOUR	0	1	2	3
My dog is depressed and quiet				
My dog has no energy				
My dog doesn't want to interact with other people/dogs				
My dog is reluctant to play with me				
My dog seems disorientated/confused				

PHYSICAL IMPACT	0	1	2	3
I struggle with my dog's weight				
My dog's hair coat is in a poor condition				
My dog's skin appears to be uncomfortable (e.g. dry/tight)				
My dog appears to be in a poor physical condition (e.g. muscle loss/pot bellied)				
My dog struggles to walk very far				

OWNER IMPACT	0	1	2	3
I worry about the future health of my dog				
Mine and my dog's daily routine is disrupted				
I feel I am struggling to manage my dog's health				
I feel the bond between me and my dog is lacking				
I feel my dog's appearance attracts negative comments				

TOTAL SCORE

CLINICAL IMPACTMy dog is excessively thirstyMy dog urinates in the houseMy dog is excessively hungryMy dog pants excessivelyDOG'S DEMEANOURMy dog is depressed and quietMy dog has no energyMy dog doesn't want to interact with other people/dogsMy dog is reluctant to play with meMy dog seems disorientated/confusedPHYSICAL IMPACTI struggle with my dog's weightMy dog's hair coat is in a poor condition

My dog's skin appears to be uncomfortable (e.g. dry/tight)

My dog appears to be in a poor physical condition (e.g. muscle loss/pot bellied)

My dog struggles to walk very far

#### OWNER IMPACT

I worry about the future health of my dog

Mine and my dog's daily routine is disrupted

I feel I am struggling to manage my dog's health

I feel the bond between me and my dog is lacking

I feel my dog's appearance attracts negative comments

DATE

Never	Occasionally	Often	All the time
0	1	2	3

0	1	2	3

0	1	2	3

0	1	2	3

	SCODE
IUIAL	SCORE

## **Cushing's Quality of Life Questionnaire**

	Never	Occasionally	Often	All the time
CLINICAL IMPACT	0	1	2	3
My dog is excessively thirsty				
My dog urinates in the house				
My dog is excessively hungry				
My dog pants excessively				

DOG'S DEMEANOUR	0	1	2	3
My dog is depressed and quiet				
My dog has no energy				
My dog doesn't want to interact with other people/dogs				
My dog is reluctant to play with me				
My dog seems disorientated/confused				

PHYSICAL IMPACT	0	1	2	3
I struggle with my dog's weight				
My dog's hair coat is in a poor condition				
My dog's skin appears to be uncomfortable (e.g. dry/tight)				
My dog appears to be in a poor physical condition (e.g. muscle loss/pot bellied)				
My dog struggles to walk very far				

OWNER IMPACT	0	1	2	3
I worry about the future health of my dog				
Mine and my dog's daily routine is disrupted				
I feel I am struggling to manage my dog's health				
I feel the bond between me and my dog is lacking				
I feel my dog's appearance attracts negative comments				

DATE

TOTAL SCORE

For more information about Cushing's Syndrome visit: www.canine-cushings.co.uk



VETORYL: Vetoryl contains trilostane



Dechra Veterinary Products Limited, Sansaw Business Park, Hadnall, Shrewsbury, Shropshire SY4 4AS. Tel: +44 (0)1939 211200

Registered Office: 24 Cheshire Avenue, Cheshire Business Park, Lostock Gralam, Northwich CW9 7UA. Registered in England and Wales, Company Registration No.5385888. Dechra Veterinary Products Limited is a trading business of Dechra Pharmaceuticals PLC.

www.dechra.co.uk Use Medicines Responsibly. www.noah.co.uk/responsible

